



A Sample of Behavioral Health Conditions Targeted by Apps and Corresponding Studies

Studies on Apps Targeting Mood, Anxiety, and Stress Disorders

Comtois KA, Mata-Greve F, Johnson M, Pullmann MD, Mosser B, Areal P. Effectiveness of mental health apps for distress during COVID-19 in US unemployed and essential workers: Remote pragmatic randomized clinical trial. *JMIR Mhealth Uhealth*. 2022 Nov 7;10(11):e41689. <https://doi.org/10.2196/41689>. Accessed May 11, 2023.

Lattie EG, Adkins EC, Winquist N, Stiles-Shields C, Wafford QE, Graham AK. Digital mental health interventions for depression, anxiety, and enhancement of psychological well-being among college students: Systematic review. *J Med Internet Res*. 2019 Jul 22;21(7):e12869. <https://doi.org/10.2196/12869>. Accessed May 11, 2023.

Leech T, Dorstyn D, Taylor A, Li W. Mental health apps for adolescents and young adults: A systematic review of randomised controlled trials. *Child Youth Serv Rev*. 2021;127:106073. <https://doi.org/10.1016/j.chilgyouth.2021.106073>. Accessed May 11, 2023.

Linardon J, Cuijpers P, Carlbring P, Messer M, Fuller-Tyszkiewicz M. The efficacy of app-supported smartphone interventions for mental health problems: A meta-analysis of randomized controlled trials. *World Psychiatry*. 2019 Oct;18(3):325-336. <https://doi.org/10.1002/wps.20673>. Accessed May 11, 2023.

Moberg C, Niles A, Beermann D. Guided self-help works: Randomized waitlist controlled trial of pacifica, a mobile app integrating cognitive behavioral therapy and mindfulness for stress, anxiety, and depression. *J Med Internet Res*. 2019 Jun 8;21(6):e12556. <https://doi.org/10.2196/2F12556>. Accessed May 11, 2023.

Studies on Apps Targeting Depression and Anxiety

Firth J, Torous J, Nicholas J, Carney R, Pratap A, Rosenbaum S, Sarris J. The efficacy of smartphone-based mental health interventions for depressive symptoms: A meta-analysis of randomized controlled trials. *World Psychiatry*. 2017 Oct;16(3):287-298. <https://doi.org/10.1002/wps.20472>. Accessed May 11, 2023.

Firth J, Torous J, Nicholas J, Carney R, Rosenbaum S, Sarris J. Can smartphone mental health interventions reduce symptoms of anxiety? A meta-analysis of randomized controlled trials. *J Affect Disord*. 2017 Aug 15;218:15-22. <https://doi.org/10.1016/j.jad.2017.04.046>. Accessed May 11, 2023.



Garrido S, Millington C, Cheers D, Boydell K, Schubert E, Meade T, Nguyen QV. What works and what doesn't work? A systematic review of digital mental health interventions for depression and anxiety in young people. *Front Psychiatry*. 2019;10:759. <https://doi.org/10.3389/fpsyt.2019.00759>. Accessed May 11, 2023.

Gu J, Miller CB, Henry AL, Espie CA, Davis ML, Stott R, Emsley R, Smits JAJ, Craske M, Saunders KEA, Goodwin G, Carl JR. Efficacy of digital cognitive behavioural therapy for symptoms of generalised anxiety disorder: A study protocol for a randomised controlled trial. *Trials*. 2020 Apr 23;21(1):357. <https://doi.org/10.1186/s13063-020-4230-6>. Accessed May 11, 2023.

Olthuis JV, Watt MC, Bailey K, Hayden JA, Stewart SH. Therapist-supported Internet cognitive behavioural therapy for anxiety disorders in adults. *Cochrane Database Syst Rev*. 2016 Mar 12;3(3):CD011565. <https://doi.org/10.1002/14651858.cd011565.pub2>. Accessed May 11, 2023.

Richards D, Enrique A, Eilert N, Franklin M, Palacios J, Duffy D, Earley C, Chapman J, Jell G, Sollesse S, Timulak L. A pragmatic randomized waitlist-controlled effectiveness and cost-effectiveness trial of digital interventions for depression and anxiety. *npj Digit Med*. 2020;3(85). <https://doi.org/10.1038/s41746-020-0293-8>. Accessed May 11, 2023.

Thabrew H, Stasiak K, Hetrick SE, Wong S, Huss JH, Merry SN. E-Health interventions for anxiety and depression in children and adolescents with long-term physical conditions. *Cochrane Database Syst Rev*. 2018; 8: CD012489. <https://doi.org/10.1002/14651858.CD012489.pub2>. Accessed May 11, 2023.

Wang K, Varma DS, Prospero M. A systematic review of the effectiveness of mobile apps for monitoring and management of mental health symptoms or disorders. *J Psychiatr Res*. 2018 Dec;107:73-78. <https://doi.org/10.1016/j.jpsychires.2018.10.006>. Accessed May 11, 2023.

Studies on Apps Targeting PTSD

Lewis C, Roberts NP, Bethell A, Robertson L, Bisson JI. Internet-based cognitive and behavioural therapies for post-traumatic stress disorder (PTSD) in adults. *Cochrane Database Syst Rev*. 2018;12: CD011710. <https://doi.org/10.1002/14651858.CD011710.pub2>. Accessed May 11, 2023.

Simblett S, Birch J, Matcham F, Yaguez L, Morris R. A systematic review and meta-analysis of e-mental health interventions to treat symptoms of posttraumatic stress. *JMIR Ment Health*. 2017 May 17;4(2):e14. <https://doi.org/10.2196/mental.5558>. Accessed May 11, 2023.

Studies on Apps Targeting Insomnia and Sleep Disorders

Espie CA, Kyle SD, Williams C, Ong JC, Douglas NJ, Hames P, Brown JS. A randomized, placebo-controlled trial of online cognitive behavioral therapy for chronic insomnia disorder delivered via an automated media-rich web application. *Sleep*. 2012 Jun 1;35(6):769-81. <https://doi.org/10.5665/sleep.1872>. Accessed May 11, 2023.



Forma F, Pratiwadi R, El-Moustaid F, Smith N, Thorndike F, Velez F. Network meta-analysis comparing the effectiveness of a prescription digital therapeutic for chronic insomnia to medications and face-to-face cognitive behavioral therapy in adults. *Curr Med Res Opin*. 2022 Oct;38(10):1727-1738. <https://doi.org/10.1080/03007995.2022.2108616>. Accessed May 11, 2023.

Luik AI, Kyle SD, Espie CA. Digital cognitive behavioral therapy (dcbt) for insomnia: A state-of-the-science review. *Curr Sleep Med Rep*. 2017;3(2):48-56. <https://doi.org/10.1007/s40675-017-0065-4>. Accessed May 11, 2023.

Ritterband LM, Thorndike FP, Ingersoll KS, Lord HR, Gonder-Frederick L, Frederick C, Quigg MS, Cohn WF, Morin CM. Effect of a web-based cognitive behavior therapy for insomnia intervention with 1-year follow-up: A randomized clinical trial. *JAMA Psychiatry*. 2017 Jan 1;74(1):68-75. <https://doi.org/10.1001/jamapsychiatry.2016.3249>. Accessed May 11, 2023.

Studies on Apps Targeting Substance Use

Campbell AN, Nunes EV, Matthews AG, Stitzer M, Miele GM, Polsky D, Turrigiano E, Walters S, McClure EA, Kyle TL, Wahle A, Van Veldhuisen P, Goldman B, Babcock D, Stabile PQ, Winhusen T, Ghitza UE. Internet-delivered treatment for substance abuse: A multisite randomized controlled trial. *Am J Psychiatry*. 2014 Jun;171(6):683-90. Erratum in: *Am J Psychiatry*. 2014 Dec 1;171(12):1338. <https://doi.org/10.1176/appi.ajp.2014.13081055>. Accessed May 11, 2023.

Maricich Y, Nunes EV, Campbell ANC, Botbyl JD, Luderer HF. Safety and efficacy of a digital therapeutic for substance use disorder: Secondary analysis of data from a NIDA clinical trials network study. *Substance Abuse*. 2022;43(1):937-42. <https://doi.org/10.1080/08897077.2022.2060425>. Accessed May 11, 2023.

Scott CK, Dennis ML, Gustafson DH. Using smartphones to decrease substance use via self-monitoring and recovery support: Study protocol for a randomized control trial. *Trials*. 2017;18(374). <https://doi.org/10.1186/s13063-017-2096-z>. Accessed May 11, 2023.

Shah N, Velez FF, Colman S, Kauffman L, Ruetsch C, Anastassopoulos K, Maricich Y. Real-world reductions in healthcare resource utilization over 6 months in patients with substance use disorders treated with a prescription digital therapeutic. *Adv Ther*. 2022 Sep;39(9):4146-4156. <https://doi.org/10.1007/s12325-022-02215-0>. Accessed May 11, 2023.

Studies on Apps Targeting Smoking and Tobacco Use

Regmi K, Kassim N, Ahmad N, Tuah NA. Effectiveness of mobile apps for smoking cessation: A review. *Tob Prev Cessat*. 2017 Apr 12;3:12. <https://doi.org/10.18332/tpc/70088>. Accessed May 11, 2023.

Whittaker R, McRobbie H, Bullen C, Rodgers A, Gu Y, Dobson R. Mobile phone text messaging and app-based interventions for smoking cessation. *Cochrane Database Syst Rev* 2019;10: CD006611. <https://doi.org/10.1002/14651858.CD006611.pub5>. Accessed May 11, 2023.



Studies on Apps Targeting Alcohol

Carreiro S, Newcomb M, Leach R, Ostrowski S, Boudreaux ED, Amante D. Current reporting of usability and impact of mHealth interventions for substance use disorder: A systematic review. *Drug Alcohol Depend*. 2020 Oct 1;215:108201. <https://doi.org/10.1016%2Fj.drugaldep.2020.108201>. Accessed May 11, 2023.

Hammond AS, Sweeney MM, Chikosi TU, Stitzer ML. Digital delivery of a contingency management intervention for substance use disorder: A feasibility study with DynamiCare Health. *J Subst Abuse Treat*. 2021 Jul;126:108425. <https://doi.org/10.1016/j.jsat.2021.108425>. Accessed May 11, 2023.

Miguel AQ, Smith CL, Rodin NM, Johnson RK, McDonell MG, McPherson SM. Automated Reinforcement Management System: Feasibility study findings of an app-based contingency management treatment for alcohol use disorder. *Drug Alcohol Depend Rep*. 2023 Feb 1;6:100140. <https://doi.org/10.1016%2Fj.dadr.2023.100140>. Accessed May 11, 2023.

Zill JM, Christalle E, Meyer B, Härter M, Dirmaier J. The effectiveness of an internet intervention aimed at reducing alcohol consumption in adults. *Dtsch Arztebl Int*. 2019 Feb 22;116(8):127-133. <https://doi.org/10.3238/arztebl.2019.0127>. Accessed May 11, 2023.

Studies on Apps Targeting Stimulant Use

Zhang L, Li N, Li Y, Zhang T, Li D, Liu Y, Liu X, Hao W. Preliminary efficacy of a digital therapeutics smartphone application for methamphetamine use disorder: An experimental study. *Front Psychiatry*. 2022 Oct 19;13:1027695. <https://doi.org/10.3389/fpsyt.2022.1027695>. Accessed May 11, 2023.

Studies on Apps Targeting Opioid Use

Cavazos-Rehg PA, Krauss MJ, Costello SJ, Ramsey AT, Petkas D, Gunderson S, Bierut LJ, Marsch LA. Delivering information about medication assisted treatment to individuals who misuse opioids through a mobile app: A pilot study. *J Public Health (Oxf)*. 2020 Feb 28;42(1):149-154. <https://doi.org/10.1093/pubmed/fdy207>. Accessed May 11, 2023.

DeFulio A, Rzesutek MJ, Furgeson J, Ryan S, Rezanian S. A smartphone-smartcard platform for contingency management in an inner-city substance use disorder outpatient program. *J Subst Abuse Treat*. 2021 Jan;120:108188. <https://doi.org/10.1016/j.jsat.2020.108188>. Accessed May 11, 2023.

Maricich YA, Gerwien R, Kuo A, Malone DC, Velez FF. Real-world use and clinical outcomes after 24 weeks of treatment with a prescription digital therapeutic for opioid use disorder. *Hosp Pract (1995)*. 2021 Dec;49(5):348-355. <https://doi.org/10.1080/21548331.2021.1974243>. Accessed May 11, 2023.

Maricich YA, Xiong X, Gerwien R, Kuo A, Velez F, Imbert B, Boyer K, Luderer HF, Braun S, Williams K. Real-world evidence for a prescription digital therapeutic to treat opioid use disorder. *Curr Med Res Opin*. 2021 Feb;37(2):175-183. <https://doi.org/10.1080/03007995.2020.1846023>. Accessed May 11, 2023.

Proctor SL, Rigg KK, Tien AY. Acceptability and usability of a reward-based mobile app for opioid treatment settings: Mixed methods pilot study. *JMIR Form Res*. 2022 Oct 5;6(10):e37474. <https://doi.org/10.2196%2F37474>. Accessed May 11, 2023.



The Academy

Integrating Behavioral Health & Primary Care

Velez FF, Anastassopoulos KP, Colman S, Shah N, Kauffman L, Murphy SM, Ruetsch C, Maricich YA. Reduced healthcare resource utilization in patients with opioid use disorder in the 12 months after initiation of a prescription digital therapeutic. *Adv Ther.* 2022 Sep;39(9):4131-4145.

<https://doi.org/10.1007/s12325-022-02217-y>. Accessed May 11, 2023.

Voelker R. App aids treatment retention for opioid use disorder. *JAMA.* 2019 Feb 5;321(5):444.

<https://doi.org/10.1001/jama.2018.21932>. Accessed May 11, 2023.